

## DALI Sensor Coupler E

DALI Sensor Coupler E | DALI sensor coupler for external sensors



### Product family features

- Suitable for daylight-dependent control

### Product family benefits

- Small housing design

### Areas of application

- Connection of light and presence sensors in DALI systems
- Ceiling or independent installation via ECO CI KIT possible
- Suitable for external light and presence sensors
- Installation in industry and office luminaires
- Corridors
- Warehouses


## Product datasheet

### Technical data

#### Electrical data

|                 |        |
|-----------------|--------|
| System wattage  | 0.30 W |
| Nominal voltage | 230 V  |
| Mains frequency | 50 Hz  |

#### Dimensions & weight



|                |          |
|----------------|----------|
| Length         | 118.0 mm |
| Width          | 30.0 mm  |
| Height         | 21.0 mm  |
| Product weight | 50.00 g  |

#### Temperatures & operating conditions

|                           |              |
|---------------------------|--------------|
| Ambient temperature range | -20...+50 °C |
|---------------------------|--------------|

#### Capabilities

|                           |   |
|---------------------------|---|
| Dimmable                  | No  |
| Dimming interface         | DALI                                      |
| Number of control outputs | 1   |
| Type of installation      | Luminaire integration/Ceiling integration |

#### Certificates & standards

|                    |      |
|--------------------|------|
| Type of protection | IP20 |
|--------------------|------|

#### Logistical data

|                |              |
|----------------|--------------|
| Commodity code | 853710989900 |
|----------------|--------------|




## Product datasheet

---

### Equipment / Accessories

- Separate installation possible with ECO CI KIT
- 

### Download Data

| File  |   |
|---|---|
|  | User instruction<br>DALI Sensor Coupler E   |
|  | Declarations of conformity<br>EC-DoC LMS Sensor Coupler and Sensor 9C1-3402820-EN-02 2019 |
|  | Installation guide<br>612042_Technical Instruction DALI Sensor Coupler E                  |

---

### Logistical Data

| Product code  | Product description   | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume               | Gross weight |
|---------------|-----------------------|------------------------------|--------------------------------------|----------------------|--------------|
| 4052899230491 | DALI Sensor Coupler E | Shipping carton box<br>25    | 200 mm x 140 mm x 147 mm             | 4.12 dm <sup>3</sup> | 1670.00 g    |

---

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

---