


## EN -WS-ZC3-ZB-WH

EN-WS-ZC3-ZB-WH | User interfaces



### Product family features

- 3-zone controller
- Standardized ZigBee Home Automation protocols for wireless communication
- Wireless technology
- Surface-mounted unit powered by four AAA Alkaline batteries
- Lifetime of battery: up to 10 years

### Product family benefits

- Easy installation and versatile application
- No wiring required


### Areas of application

- New installations or retrofit of existing installations

## Product datasheet

### Technical data

#### Dimensions & weight



Length	70.0 mm
Width	13.0 mm
Height	114.0 mm
Product weight	94.00 g

#### Temperatures & operating conditions

Ambient temperature range	-10...+40 °C
---------------------------	--------------

#### Capabilities

Dimming interface	ZigBee HA
Transmitter range	10 m
Type of installation	Surface mounting


#### Certificates & standards

Type of protection	IP20
--------------------	------

#### Logistical data

Commodity code	853710989900
----------------	--------------

### Download Data

File	
	Declarations of conformity EU Declaration of Conformity Encelium Wireless Devices

## Product datasheet

---

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899989306	EN -WS-ZC3-ZB-WH	Shipping carton box 20	225 mm x 167 mm x 264 mm	9.92 dm <sup>3</sup>	2689.00 g

---

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.